Package: jpaRmd (via r-universe)

October 17, 2026

Type Package

Title Rmarkdown templates for Japanese journals in psychology

Version 0.5.5

Author Yoshihiko Kunisato [aut, cre, cph],Koji Kosugi [aut]

Maintainer Yoshihiko Kunisato <ykunisato@psy.senshu-u.ac.jp>

Description The package provides the Rmarkdown template for Japanese journals in psychology including the Japanese Journal of Psychology and so on. The package also provides function making a list of references.

URL https://github.com/ykunisato/jpaRmd

BugReports https://github.com/ykunisato/jpaRmd/issues

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports dplyr, rlang, magrittr, purrr, stringr, stringi, tibble, humaniformat, rmarkdown, kableExtra, knitr, tidyr

VignetteBuilder knitr

Config/pak/sysreqs cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev make libharfbuzz-dev libicu-dev libpng-dev libuv1-dev libxml2-dev

Repository https://ykunisato.r-universe.dev

Date/Publication 2024-12-27 07:07:41 UTC

RemoteUrl https://github.com/ykunisato/jpaRmd

RemoteRef HEAD

RemoteSha 61fda231d0882f0cf128048cc1ad7ef833d7c19b

Contents

bib_Checker . . . 2
bib_to_DF . . . 3
citationMaker . . . 4
inLineCitation . . . 4
inLineCite_ENG . . . 5
inLineCite_JPN . . . 5
inLineCite_TR . . . 5
jpa_cite . . . 6
jpr_cite . . . 6
make_correction_table . . . 7
name_spliter . . . 7
new_m . . . 7
old_m . . . 8
pBibMaker . . . 8
prefixMaker . . . 8
print_EName . . . 9
print_English_article . . . 9
print_English_book . . . 10
print_English_incollection . . . 10
print_English_inproceedings . . . 11
print_exceptional_bib . . . 11
print_Japanese_article . . . 11
print_Japanese_book . . . 12
print_Japanese_incollection . . . 12
print_Japanese_inproceedings . . . 12
print_JName . . . 13
render_jjbct . . . 13
render_jjp . . . 13
render_jpr . . . 14
reply . . . 14
set_rc_jabct . . . 14
set_rc_jpa . . . 15
value_extractor . . . 15

Index **16**

`bib_Checker` *bib_Checker function*

Description

bib_Checker function

Usage

```
bib_Checker(Rmd_file = "RmdFileName", Bib_file = "BibFileName")
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

Examples

```
# bib_Checker(Rmd_file = "RmdFileName",Bib_file = "BibFileName")
```

---

bib_to_DF *bib_to_DF*

Description

bib_to_DF

Usage

```
bib_to_DF(
  Rmd_file,
  Bib_file,
  list_ampersand = T,
  cite_ampersand = F,
  underline = F
)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file
list_ampersand	combinle the last author with & or not in Bibliography
cite_ampersand	combinle the last author with & or not in in-line citation
underline	Whether to underline emphasis or not. if FALSE, emph as Italic.

Value

Prepare for citation database

Examples

```
# bib_to_DF(Rmd_file = "RmdFileName",Bib_file = "BibFileName")
```

citationMaker *citationMaker function*

Description

citationMaker function

Usage

```
citationMaker(df, ampersand = T)
```

Arguments

df	Bib data frame
ampersand	it TRUE, combine last author with ampersand else "and"

inLineCitation *inLine Citation*

Description

inLine Citation

Usage

```
inLineCitation(st, bib.df)
```

Arguments

st	A line of text
bib.df	Bib.df object created by bib_to_DF function

Value

replace statement

Examples

```
# bib_to_DF(Rmd_file = "RmdFileName",Bib_file = "BibFileName")
```

inLineCite_ENG *in-Line Cittion(in English)*

Description

in-Line Cittion(in English)

Usage

```
inLineCite_ENG(df, ampersand)
```

Arguments

df	Bib.df File from jpa_cite
ampersand	it TRUE, combine last author with ampersand else "and"

inLineCite_JPN *in-Line Cittion(in Japanese)*

Description

in-Line Cittion(in Japanese)

Usage

```
inLineCite_JPN(df)
```

Arguments

df	Bib.df File from jpa_cite

inLineCite_TR *in-Line Cittion(Japanese Transration book)*

Description

in-Line Cittion(Japanese Transration book)

Usage

```
inLineCite_TR(df, ampersand)
```

Arguments

df	Bib.df File from jpa_cite

jpa_cite *Add citation with JPA format*

Description

Add citation with JPA format

Usage

```
jpa_cite(Rmd_file, Bib_file, use.et.al.first = TRUE)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

Value

Make reference list and add it to R Markdown file

Examples

```
# jpa_cite(Rmd_file = "RmdFileName",Bib_file = "BibFileName")
```

jpr_cite *Add citation with JPR format*

Description

Add citation with JPR format

Usage

```
jpr_cite(Rmd_file, Bib_file)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

Value

Make reference list and add it to R Markdown file

Examples

```
# jpr_cite(Rmd_file = "RmdFileName",Bib_file = "BibFileName")
```

make_correction_table *Make crrection table*

Description

Make crrection table

Usage

```
make_correction_table(old_manuscript, new_manuscript)
```

Arguments

old_manuscript	vector of old content of manuscript
new_manuscript	vector of new content of manuscript

name_spliter *Name spliter function*

Description

Name spliter function

Usage

```
name_spliter(df)
```

Arguments

df	elements of data.frame contains NAME

new_m *Add new content of manuscript to crrection table*

Description

Add new content of manuscript to crrection table

Usage

```
new_m(new_text)
```

Arguments

new_text	new content of manuscript

old_m *Add old content of manuscript to crrection table*

Description

Add old content of manuscript to crrection table

Usage

```
old_m(old_text)
```

Arguments

old_text	old content of manuscript

pBibMaker *pBibMaker function*

Description

pBibMaker function

Usage

```
pBibMaker(df, underline)
```

Arguments

df	Bib data frame
underline	check flag for underline

prefixMaker *prefixMaker function*

Description

prefixMaker function

Usage

```
prefixMaker(df)
```

Arguments

df	Bib data frame

print_EName *Print name function(English)*

Description

Print name function(English)

Usage

```
print_EName(st, ampersand = T, switchFLG = FALSE)
```

Arguments

st	Strings of name
ampersand	it TRUE, combine last author with ampersand else "and"
switchFLG	switch the order of first name and last name

print_English_article *Print bib info function(English article)*

Description

Print bib info function(English article)

Usage

```
print_English_article(df, underline = F)
```

Arguments

df	Strings of Bib info
underline	check flag for underline

print_English_book *Print bib info function(English book)*

Description

Print bib info function(English book)

Usage

```
print_English_book(df, underline = F)
```

Arguments

df	Strings of Bib info
underline	check flag for underline

print_English_incollection *Print bib info function(in English collection)*

Description

Print bib info function(in English collection)

Usage

```
print_English_incollection(df, underline = F)
```

Arguments

df	Strings of Bib info
underline	check flag for underline

print_English_inproceedings *Print bib info function(in English Proceedings)*

Description

Print bib info function(in English Proceedings)

Usage

```
print_English_inproceedings(df)
```

Arguments

df	Strings of Bib info

print_exceptional_bib *Print bib info function(Original Style references)*

Description

Print bib info function(Original Style references)

Usage

```
print_exceptional_bib(df)
```

Arguments

df	Strings of Bib info

print_Japanese_article *Print bib info function(Jaopanese article)*

Description

Print bib info function(Jaopanese article)

Usage

```
print_Japanese_article(df, underline = F)
```

Arguments

df	Strings of Bib info
underline	check flag for underline

print_Japanese_book *Print bib info function(Japanese book)*

Description

Print bib info function(Japanese book)

Usage

```
print_Japanese_book(df)
```

Arguments

df	Strings of Bib info

print_Japanese_incollection *Print bib info function(in Japanese collection)*

Description

Print bib info function(in Japanese collection)

Usage

```
print_Japanese_incollection(df)
```

Arguments

df	Strings of Bib info

print_Japanese_inproceedings *Print bib info function(in Japanese Proceedings)*

Description

Print bib info function(in Japanese Proceedings)

Usage

```
print_Japanese_inproceedings(df)
```

Arguments

df	Strings of Bib info

print_JName *Print name function(Jpanese)*

Description

Print name function(Jpanese)

Usage

```
print_JName(st)
```

Arguments

st	Strings of Japanese name

render_jjbct *render function for paper of Japanese Journal of Behavioral and Cognitive Therapies*

Description

render function for paper of Japanese Journal of Behavioral and Cognitive Therapies

Usage

```
render_jjbct(Rmd_file, Bib_file, use.et.al.first = T)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

render_jjp *render function for paper of Japanese Journal of Psychology*

Description

render function for paper of Japanese Journal of Psychology

Usage

```
render_jjp(Rmd_file, Bib_file, use.et.al.first = T)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

render_jpr *render function for paper of Japanese Psychological Review*

Description

render function for paper of Japanese Psychological Review

Usage

```
render_jpr(Rmd_file, Bib_file)
```

Arguments

Rmd_file	file name of R Markdown file
Bib_file	file name of Bib file

reply *R Markdown template for Reply to reviewers*

Description

R Markdown template for Reply to reviewers

Usage

```
reply()
```

set_rc_jabct *Set Research Compendium for JABCT*

Description

Set Research Compendium for JABCT

Usage

```
set_rc_jabct(file_name = "paper")
```

Arguments

file_name	file name and directory name of RMarkdown

Value

Make directories for Research Compendium of JABCT and R Markdown file

Examples

```
# set_rc_jabct("rmarkdown_for_reproducibility")
```

---

set_rc_jpa *Set Research Compendium for JPA*

Description

Set Research Compendium for JPA

Usage

```
set_rc_jpa(file_name = "paper")
```

Arguments

file_name	file name and directory name of RMarkdown

Value

Make directories for Research Compendium of JPA and R Markdown file

Examples

```
# set_rc_jpa("rmarkdown_for_reproducibility")
```

---

value_extractor *Extractor function*

Description

Extractor function

Usage

```
value_extractor(string)
```

Arguments

string	string which contains { or \"

Index

bib_Checker, 2
bib_to_DF, 3

citationMaker, 4

inLineCitation, 4
inLineCite_ENG, 5
inLineCite_JPN, 5
inLineCite_TR, 5

jpa_cite, 6
jpr_cite, 6

make_correction_table, 7

name_spliter, 7
new_m, 7

old_m, 8

pBibMaker, 8
prefixMaker, 8
print_EName, 9
print_English_article, 9
print_English_book, 10
print_English_incollection, 10
print_English_inproceedings, 11
print_exceptional_bib, 11
print_Japanese_article, 11
print_Japanese_book, 12
print_Japanese_incollection, 12
print_Japanese_inproceedings, 12
print_JName, 13

render_jjbct, 13
render_jjp, 13
render_jpr, 14
reply, 14

set_rc_jabct, 14
set_rc_jpa, 15

value_extractor, 15